




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	-103 ADDED TWO MISSING ENGRAVE NOTES.	5/14/2014	RJC	RJC



NOTE:



1. REF: AGUSTA T/N 895-3101-26-101.
2. PART OF KIT RBW895-3101-29-107.

RED BARN MACHINE	
TITLE TOOL ASSY, BEARING INSTL	
DWG NO. RBW895-3101-26-101	REV A
MAT'L	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 9/4/2013
SHEET 1 OF 4	


ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-103	1	PLUG	01	Ø1-1/2 X 2-1/8	2
			-105	1	BASE	01	Ø2-3/8 X 2-1/8	3
			-107	1	PIN	01	Ø1/2 X 3-5/8	4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	-103 ADDED TWO MISSING ENGRAVE NOTES.	5/14/2014	RJC	RJC



SECTION B-B
SCALE 1 : 1




(-103)
PLUG

RED BARN MACHINE	
TITLE TOOL ASSY, BEARING INSTL	
DWG NO. RBW895-3101-26-103	REV A
MAT'L 01	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm .005$	HEAT TREAT RC 40-45
.XX $\pm .01$	FINISH CAD PLATE YELLOW
.X $\pm .1$	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/4/2013
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




ENGRAVE T/N, S/N,
"MADE IN USA"

-105

BASE




SECTION C-C
SCALE 1 : 1



RED BARN MACHINE	
TITLE TOOL ASSY, BEARING INSTL	
DWG NO. RBW895-3101-26-105	REV A
MAT'L 01	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT RC 40-45
.XX ± .01	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:2	DATE 9/4/2013
SHEET 3 OF 4	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



-107

PIN

 RED BARN MACHINE	
TITLE TOOL ASSY, BEARING INSTL	
DWG NO. RBW895-3101-26-107	REV A
MAT'L 01	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>D Weil</i> HEAT TREAT RC 40-45 FINISH CAD PLATE YELLOW SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW109, AW119
SCALE 1:2	DATE 9/4/2013
SHEET 4 OF 4	